


TECHNICAL DATA SHEET



LP Xenon low profile

Available LP1XMV/1 (1watt) LP4XMV/2 (2watt) LP4XMV/5 (5watt) LP1X110/2ac (2watt) LP1X230/2ac (2watt)

Delta Design's new Xenon Beacon allows you to easily mount and replace. Coming in the standard variety of colours; red, amber green, blue and white lens options in both 2 and 5 watt power units and multiple voltage options.



Features:

A compact directional Xenon beacon with synchronous flash capability for up to 4 units.

- DC Voltage range options 10-100 Vdc
- AC Voltage range options 20-72Vac, 90-125Vac & 207-253 Vac
- Synchronous flash capability
- Vibration protected circuit
- 1W, 2W and 5W versions available
- 24 months guarantee
- 360 visibility
- Operating temperature -30 to +60 Deg C
- Certified to EMC directive 2004/108/EC
- 75 Flash per min & 60 Fpm option (single flash)
- IP 67
- Low profile
- Low current consumption
- Complies with low voltage directive 2006/95/EC
- ROHS compliant

Applications:

Suitable for many industrial applications

Materials:

Polycarbonate lens and base

Lens Colour	Power	Voltage	Voltage range	Old Part Number	New Part Number
Clear	1W	Multi	10-100Vdc & 20-72 Vdc	412051	30101170
	2W	Multi	10-100Vdc & 20-72 Vdc	412061	30102170
	5W	Multi	10-100Vdc & 20-72 Vdc	412091	30105170
	2W	110Vac	90-125 Vac	441001	30102171
	2W	230 Vac	207-253 Vac	441021	30102172
Amber	1W	Multi	10-100Vdc & 20-72 Vdc	412052	30101270
	2W	Multi	10-100Vdc & 20-72 Vdc	412062	30102270
	5W	Multi	10-100Vdc & 20-72 Vdc	412092	30105270
	2W	110Vac	90-125 Vac	441002	30102271
	2W	230 Vac	207-253 Vac	441022	30102272
Red	1W	Multi	10-100Vdc & 20-72 Vdc	412053	30101370
	2W	Multi	10-100Vdc & 20-72 Vdc	412063	30102370
	5W	Multi	10-100Vdc & 20-72 Vdc	412093	30105370
	2W	110Vac	90-125 Vac	441003	30102371
	2W	230 Vac	207-253 Vac	441023	30102372
Blue	1W	Multi	10-100Vdc & 20-72 Vdc	412054	30101470
	2W	Multi	10-100Vdc & 20-72 Vdc	412064	30102470
	5W	Multi	10-100Vdc & 20-72 Vdc	412094	30105470
	2W	110Vac	90-125 Vac	441004	30102471
	2W	230 Vac	207-253 Vac	441024	30102472
Green	1W	Multi	10-100Vdc & 20-72 Vdc	412055	30101570
	2W	Multi	10-100Vdc & 20-72 Vdc	412065	30102570
	5W	Multi	10-100Vdc & 20-72 Vdc	412095	30105570
	2W	110Vac	90-125 Vac	441005	30102571
	2W	230 Vac	207-253 Vac	441025	30102572

Delta Design
Victoria Industrial Park
Victoria Road
Seacroft
LS14 2LA
Tel: +44(0)113 237 5340
Fax: +44(0)113 237 5360

Email: sales@deltadesign.co.uk
www.deltadesign.co.uk




TECHNICAL DATA SHEET



LP Synchronous Flash

Available 4XDV/2 SYNC (2watt) and LP4XDV/5 SYNC (5watt)

Delta Design's new Xenon Beacon allows you to easily mount and replace. Coming in the standard variety of colours; red, amber green, blue and white lens options in both 2 and 5 watt power units.



Features:

A compact directional Xenon beacon with synchronous / Asynchronous flash capability for up to 4 units.

- Dual voltage 12/24V (10 – 30Vdc)
- Synchronous / Asynchronous flash capability
- Vibration protected circuit
- 2W and 5W versions available
- 24 months guarantee
- Operating temperature -30 to +60 Deg C
- Certified to automotive EMC directive 2004/104/EC
- 75 Flash per min (single flash)
- IP 67

Applications:

Suitable for many vehicle applications including fleet, cars, delivery, refuse trucks, large vehicles, road maintenance, recovery, utilities, road safety, plant and contracting.

Materials:

All materials ROHS Compliant.

Lens Colour	Power	Light Output	Old Part Number	New Part Number
Clear	2W	50cd	442001	30112170
	5W	85cd	439001	30115170
Amber	2W	25cd	442002	30112270
	5W	45cd	439002	30115270
Red	2W	11cd	442003	30112370
	5W	19cd	439003	30115370
Blue	2W	10cd	442004	30112470
	5W	18cd	439004	30115470
Green	2W	10cd	442005	30112570
	5W	18cd	439005	30115570

Delta Design
Victoria Industrial Park
Victoria Road
Seacroft
LS14 2LA
Tel: +44(0)113 237 5340
Fax: +44(0)113 237 5360

Email: sales@deltadesign.co.uk
www.deltadesign.co.uk




TECHNICAL DATA SHEET



LT Xenon Hi profile

Available LT4XMV/2 (2watt) LT4XMV/5 (5watt) LT3X110/5ac (5watt) LT1X310/5ac (5watt)

Delta Design's new Xenon Beacon allows you to easily mount and replace. Coming in the standard variety of colours; red, amber green, blue and white lens options in both 2 and 5 watt power units and multiple voltage options.



Features:

A compact directional Xenon beacon with synchronous flash capability for up to 4 units.

- DC Voltage range options 10-100 Vdc
- AC Voltage range options 20-72Vac, 90-125Vac & 207-253 Vac
- Synchronous flash capability
- Vibration protected circuit
- 1W, 2W and 5W versions available
- 24 months guarantee
- 360 visibility
- Operating temperature -30 to +60 Deg C
- Certified to EMC directive 2004/108/EC
- 75 Flash per min & 90 Fpm option (single flash)
- IP 67
- Low profile
- Low current consumption
- Complies with low voltage directive 2006/95/EC
- ROHS compliant

Applications:

Suitable for many industrial applications

Materials:

Polycarbonate lens and base

Lens Colour	Power	Voltage	Voltage range	Old Part Number	New Part Number
Clear	2W	Multi	10-100Vdc & 20-72 Vdc	411061	31102170
	5W	Multi	10-100Vdc & 20-72 Vdc	411071	31105170
	5W	110Vac	90-125 Vac	410021	31105171
	5W	230 Vac	207-253 Vac	410001	31105172
Amber	2W	Multi	10-100Vdc & 20-72 Vdc	411062	31102270
	5W	Multi	10-100Vdc & 20-72 Vdc	411072	31105270
	5W	110Vac	90-125 Vac	410022	31105271
	5W	230 Vac	207-253 Vac	410002	31105272
Red	2W	Multi	10-100Vdc & 20-72 Vdc	411063	31102370
	5W	Multi	10-100Vdc & 20-72 Vdc	411073	31105370
	5W	110Vac	90-125 Vac	410023	31105371
	5W	230 Vac	207-253 Vac	410003	31105372
Blue	2W	Multi	10-100Vdc & 20-72 Vdc	411064	31102470
	5W	Multi	10-100Vdc & 20-72 Vdc	411074	31105470
	5W	110Vac	90-125 Vac	410024	31105471
	5W	230 Vac	207-253 Vac	410004	31105472
Green	2W	Multi	10-100Vdc & 20-72 Vdc	411065	31102570
	5W	Multi	10-100Vdc & 20-72 Vdc	411075	31105570
	5W	110Vac	90-125 Vac	410025	31105571
	5W	230 Vac	207-253 Vac	410005	31105572

Delta Design
Victoria Industrial Park
Victoria Road
Seacroft
LS14 2LA
Tel: +44(0)113 237 5340
Fax: +44(0)113 237 5360

Email: sales@deltadesign.co.uk
www.deltadesign.co.uk

